

---

# *ProASIC<sup>PLUS</sup> Evaluation Board*

*User's Guide*



---

## **Actel Corporation, Sunnyvale, CA 94086**

© 2002 Actel Corporation. All rights reserved.

Printed in the United States of America

Part Number: 51700003-0

Release: December 2002

No part of this document may be copied or reproduced in any form or by any means without prior written consent of Actel.

Actel makes no warranties with respect to this documentation and disclaims any implied warranties of merchantability or fitness for a particular purpose. Information in this document is subject to change without notice. Actel assumes no responsibility for any errors that may appear in this document.

This document contains confidential proprietary information that is not to be disclosed to any unauthorized person without prior written consent of Actel Corporation.

Trademarks

Actel and the Actel logotype are registered trademarks of Actel Corporation.

Adobe and Acrobat Reader are registered trademarks of Adobe Systems, Inc.

Liberty is a licensed trademark of Synopsys Inc. This product uses SDC, a Proprietary format of Synopsys Inc.

Libero is a trademark of Actel Corporation.

Mentor Graphics, Viewlogic, ViewDraw, MOTIVE, and ModelSim are registered trademarks of Mentor Graphics, Inc.

Synplify and Synplicity are registered trademarks of Synplicity, Inc.

Verilog is a registered trademark of Open Verilog International.

WaveFormer Lite and SynaptiCAD are trademarks of SynaptiCAD, Inc.

Windows is a registered trademark and Windows NT is a trademark of Microsoft Corporation in the U.S. and other countries.

All other products or brand names mentioned are trademarks or registered trademarks of their respective holders.

---

# Table of Contents

Introduction . . . . .	5
Document Contents . . . . .	5
Document Assumptions . . . . .	5
<b>1 Contents and System Requirements . . . . .</b>	<b>7</b>
Evaluation Kit Contents . . . . .	7
System Requirements . . . . .	8
<b>2 Setup and Self Test . . . . .</b>	<b>9</b>
Software Installation . . . . .	9
Testing the Evaluation Board. . . . .	9
Programming the Test file . . . . .	10
<b>3 Hardware Description . . . . .</b>	<b>11</b>
Power Supplies . . . . .	12
Programming Headers . . . . .	12
Clock Circuits . . . . .	13
LED. . . . .	13
Switches . . . . .	14
<b>A Board Connections . . . . .</b>	<b>17</b>
<b>B Board Schematics . . . . .</b>	<b>29</b>
<b>C Product Support . . . . .</b>	<b>35</b>
Actel U.S. Toll-Free Line . . . . .	35
Customer Service . . . . .	35
Customer Applications Center . . . . .	36
Guru Automated Technical Support . . . . .	36
Web Site. . . . .	36
FTP Site. . . . .	36
Contacting the Customer Applications Center. . . . .	36
Worldwide Sales Offices . . . . .	38



---

# Introduction

Thank you for purchasing Actel's ProASIC<sup>PLUS</sup> Evaluation Board.

The purpose of this user's guide is to provide you with information so you can easily evaluate the ProASIC<sup>PLUS</sup> devices.

This is the first release of the user's guide. The most up-to-date version of this guide is available at:

<http://www.actel.com/products/tools/hw.html>

## Document Contents

**Chapter 1 - Contents and System Requirements** describes the contents of the ProASIC<sup>PLUS</sup> Evaluation Kit.

**Chapter 2 - Setup and Self Test** describes how to setup the ProASIC<sup>PLUS</sup> Evaluation Board and how to perform a self test.

**Chapter 3 - Hardware Description** describes the components of the ProASIC<sup>PLUS</sup> Evaluation Board.

**Appendix A - Board Connections** lists a board connection table.

**Appendix B - Board Schematics** show illustrations of the ProASIC<sup>PLUS</sup> Evaluation Board.

**Appendix C - Product Support** describes our support services.

## Document Assumptions

This user's guide assumes the following:

- You intend to use Actel's Libero software.
- You have installed and are familiar with Actel's Libero software.
- You are familiar with the VHDL or Verilog hardware description language.
- You are familiar with UNIX workstations and operating systems or PCs and Windows operating systems.



---

# Contents and System Requirements

This chapter describes the differences between the three versions of the ProASIC<sup>PLUS</sup> evaluation board. This chapter also details the contents of the ProASIC<sup>PLUS</sup> evaluation kit and provides power supply and software system requirements.

## Evaluation Kit Contents

The ProASIC<sup>PLUS</sup> evaluation kit has three board versions.

**Note:** There is no socket on these boards.

### **APA-EVAL-BRD1**

This board contains all the surrounding circuitry, but no APA device. For this board, it is assumed that you will acquire a device and solder it to the board yourself. This allows you to use the board with any device in the APA family.

### **APA-EVAL-BRD300**

Same as BRD1 but with an APA300 device mounted.

### **APA-EVAL-BRD075**

Same as BRD1 but with an APA075 device mounted.

When you purchase any of the above board versions, you also receive the following:

- Evaluation board - one of the three listed above
- The ProASIC<sup>PLUS</sup> Evaluation Board User's Guide
- Customer Letter
- CD with design examples

For the CD contents, review the ReadMe.doc file at the top level of the CD. As more design examples become available, the CD contents will change. For the latest design examples, refer to the Hardware Tools section of the Actel website:

<http://www.actel.com/products/tools/hw.html>

## Power Supply and Software Requirements

This section describes power supply and software requirements for the ProASIC<sup>PLUS</sup> evaluation kit.

### **Power Supply**

The ProASIC<sup>PLUS</sup> evaluation board requires the following:

- Wall mount power supply
- 9V, 500mA supply with 2.1mm female connector P5 type
- Digikey part number T413-P5P-ND for US
- Digikey part number T408-P5P-ND for Europe

### **Software**

Each ProASIC<sup>PLUS</sup> evaluation board requires a different version of the software.

#### **APA-EVAL-BRD075**

This board can use the free evaluation Libero Silver version, which does not include simulation. To include simulation, use the Libero Gold version.

#### **APA-EVAL-BRD300**

This board requires a full Libero Platinum license.

#### **APA-EVAL-BRD1**

With the blank board, you can select any device from the ProASIC<sup>PLUS</sup> family in a 208 PQFP footprint and solder it to the board yourself.

Use the appropriate software for the device you choose. For software support details, refer to the Actel Website:

<http://www.actel.com/products/tools/support.html>



## Setup and Self Test

### Software Installation

Since this package does not include software, this guide does not provide software installation instructions. For software installation instructions, refer to the Actel Installation and Licensing Guide at:

<http://www.actel.com/products/tools/libero/docs.html>

### Testing the Evaluation Board

If the evaluation board is shipped directly from Actel, it contains a test program that determines if the board works properly.

*To test the evaluation board:*

- 1. Supply power to the board.**
- 2. Turn on the ON/OFF switch.**
- 3. Perform the actions described in** Table 2-1.

*Table 2-1. Evaluation Board Test*

<b>Action</b>	<b>Result</b>	<b>Pass/Fail</b>
Press PB1 multiple times, but not too fast	A sequence of LEDs light up	Pass
Press and hold SW1	All LEDs are unlit	Pass
Press and hold SW2	All LEDs light up except DS1	Pass
Press and hold SW3	A random sequence of LEDs light up while you hold the switch	Pass
Press and hold SW4	The LED is lit/unlit in a 01101010 pattern	Pass
Any two switches are pressed together	Creates a 00100110 pattern.	Pass

## Programming the Test file

If you want to retest the evaluation board, you can reprogram the board using the test program at any time. Use the STAPL file test.stp or the bitstream file test.bit. These files are included on the Evaluation Kit CD. Table 2-2 describes the actions you should perform when retesting your evaluation board.

This design is currently implemented for the APA300 device. If you have a device of a different size, you can recompile the design into other device sizes. The design files are available under actelprj/eval in the Evaluation Kit CD.

For instructions on programming the device using Flash Pro, refer to the Flash Pro User's Guide at:

<http://www.actel.com/techdocs/manuals/docs/flashproUG.pdf>

Table 2-2. Retesting the Evaluation Board

Action	Result	Pass/Fail
Press PB1 multiple times, but not too fast	Count sequence should be visible on the LED	Pass
Press and hold SW1	All LEDs are unlit	Pass
Press and hold SW2	All LEDs are lit	Pass
Press and hold SW3	Count sequence runs while you hold the switch	Pass
Press and hold SW4	LED is lit/unlit alternately in a 10101010 pattern	Pass
Any two switches are pressed together	Creates a 00110011 pattern	Pass



- Small program header (compatible with both Flash Pro and Silicon Sculptor)
- Four switches (provides input to the device)
- eight LED (driven by outputs from the device)
- Jumpers (allows disconnection of all external circuitry from the FPGA)

For further information, refer to the following appendices:

Appendix A – Board Connections

Appendix B – Board Schematics

## Power Supplies

The evaluation board requires the following power supplies:

- Wall mount power supply
  - 9V, 500mA supply with 2.1mm female connector P5 type  
Digikey part number T413-P5P-ND for US  
Digikey Part Number T408-P5P-ND for Europe
  - The power is controlled by an On/Off switch.
  - An LED DS9 indicates the presence of a working wall mount supply
- JP1** can be used to select either 3.3V or 2.5V for the Device I/O Voltage
- JP2** connects AGND to GND for the use of the PLL.
- JP3** connects AVDD to VDD for the use of the PLL.

**Note:** The five pin header next to the power supply connection can also be used to drive power to the board from a lab supply.

## Programming Headers

A small form programming header, which is suitable to use with both the Flash Pro and Silicon Sculptor II is supplied with the board. The footprint for the large programming header is on the board, but has not been populated.

When using Flash Pro, use the STAPL(.STP) file to program the device.

Silicon Sculptor II requires the ISP programming adapter module SMPA-ISP-ACTEL-2-KIT, then you can use either the bitstream (.BIT) file or STAPL (.STP) file.

## Clock Circuits

The evaluation board has two clock circuits, the 40MHz oscillator and the manual clock.

### **40MHz Oscillator**

The 40MHz oscillator on the board is connected to JP4. JP4 connects the clock to pin 24 of the devices. Pin 24 is a global input pin.

To use pin 24 for a different clock signal, disconnect JP4.

If you want to use a different Clock Frequency, purchase the Crystal from Epson programmed to a variety of frequencies. The SG-8002JC40.000M-PCC from Epson is also available through Digikey.

### **Manual Clock**

When activated, the manual clock button (PB1) lights DS10 the pulse generated LED and generates a pulse. This is connected to JP17. JP17 connects to pin 128 of the device. Pin 128 is a global input pin.

If you want to use pin 128 for a different clock signal, disconnect JP17.

## LED Device Connections

Eight LED are connected to the device via jumpers. If the jumpers are in place, the device I/O can drive the LED. The LED changes based on the following output:

- A 1 on the output of the device lights the LED.
- A 0 on the output of the device switches off the LED.
- An unprogrammed or tristated output may show a faintly lit LED

Table 3-1 lists the LED/device connections.

If you want to use the device I/O for other purposes, remove the jumpers.

*Table 3-1. LED Device Connections*

<b>LED</b>	<b>Device Connection</b>
DS1	87
DS2	90
DS3	91
DS4	92
DS5	93
DS6	94
DS7	95
DS8	96

## Switches Device Connections

Four switches are connected to the device via jumpers. If the jumpers are in place the device I/O can be driven by the following switches:

- Pressing the switch drives a 1 into the device. The 1 continues to drive while you hold the switch.
- Releasing the switch drives a zero into the device.

Table 3-2 lists the switch/device connections.

If you want to use the device I/O for other purposes, remove the jumpers.

Table 3-2. Switch Device Connections

<b>Switch</b>	<b>Device Connection</b>
SW1	55
SW2	63
SW3	69
SW4	79





## Board Connections

This appendix lists a table for board connections.

Table A-1 shows the board connections.

*Table A-1. Board Connections*

<b>Pin No.</b>	<b>APA 075</b>	<b>APA 150</b>	<b>APA 300</b>	<b>APA 450</b>	<b>APA 600</b>	<b>APA 750</b>	<b>APA 1000</b>	<b>Board Connect</b>
1	GND	GND	GND	GND	GND	GND	GND	GND
2	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
3	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
4	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
5	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
6	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
7	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
8	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
9	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
10	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
11	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
12	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
13	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
14	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
15	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
16	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>
17	GND	GND	GND	GND	GND	GND	GND	GND

Appendix A: Board Connections

Table A-1. Board Connections

<b>Pin No.</b>	<b>APA 075</b>	<b>APA 150</b>	<b>APA 300</b>	<b>APA 450</b>	<b>APA 600</b>	<b>APA 750</b>	<b>APA 1000</b>	<b>Board Connect</b>
18	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
19	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
20	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
21	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
22	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>
23	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
24	GL	GL	GL	GL	GL	GL	GL	JP4
25	AGND	AGND	AGND	AGND	AGND	AGND	AGND	JP2
26	NPECL	NPECL	NPECL	NPECL	NPECL	NPECL	NPECL	NPECL
27	AVDD	AVDD	AVDD	AVDD	AVDD	AVDD	AVDD	JP3
28	PPECL (I/P)	PPECL (I/P)	PPECL (I/P)	PPECL (I/P)	PPECL (I/P)	PPECL (I/P)	PPECL (I/P)	PPECL (I/P)
29	GND	GND	GND	GND	GND	GND	GND	GND
30	GL	GL	GL	GL	GL	GL	GL	GL
31	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
32	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
33	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
34	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
35	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
36	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>
37	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O

Table A-1. Board Connections

<b>Pin No.</b>	<b>APA 075</b>	<b>APA 150</b>	<b>APA 300</b>	<b>APA 450</b>	<b>APA 600</b>	<b>APA 750</b>	<b>APA 1000</b>	<b>Board Connect</b>
38	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
39	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
40	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>
41	GND	GND	GND	GND	GND	GND	GND	GND
42	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
43	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
44	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
45	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
46	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
47	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
48	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
49	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
50	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
51	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
52	GND	GND	GND	GND	GND	GND	GND	GND
53	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>
54	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
55	I/O	I/O	I/O	I/O	I/O	I/O	I/O	JP5
56	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
57	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
58	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O

Appendix A: Board Connections

Table A-1. Board Connections

<b>Pin No.</b>	<b>APA 075</b>	<b>APA 150</b>	<b>APA 300</b>	<b>APA 450</b>	<b>APA 600</b>	<b>APA 750</b>	<b>APA 1000</b>	<b>Board Connect</b>
59	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
60	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
61	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
62	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
63	I/O	I/O	I/O	I/O	I/O	I/O	I/O	JP6
64	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
65	GND	GND	GND	GND	GND	GND	GND	GND
66	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
67	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
68	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
69	I/O	I/O	I/O	I/O	I/O	I/O	I/O	JP7
70	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
71	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>
72	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>
73	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
74	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
75	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
76	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
77	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
78	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
79	I/O	I/O	I/O	I/O	I/O	I/O	I/O	JP8

Table A-1. Board Connections

<b>Pin No.</b>	<b>APA 075</b>	<b>APA 150</b>	<b>APA 300</b>	<b>APA 450</b>	<b>APA 600</b>	<b>APA 750</b>	<b>APA 1000</b>	<b>Board Connect</b>
80	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
81	GND	GND	GND	GND	GND	GND	GND	GND
82	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
83	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
84	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
85	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
86	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
87	I/O	I/O	I/O	I/O	I/O	I/O	I/O	JP9
88	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>
89	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>
90	I/O	I/O	I/O	I/O	I/O	I/O	I/O	JP10
91	I/O	I/O	I/O	I/O	I/O	I/O	I/O	JP11
92	I/O	I/O	I/O	I/O	I/O	I/O	I/O	JP12
93	I/O	I/O	I/O	I/O	I/O	I/O	I/O	JP13
94	I/O	I/O	I/O	I/O	I/O	I/O	I/O	JP14
95	I/O	I/O	I/O	I/O	I/O	I/O	I/O	JP15
96	I/O	I/O	I/O	I/O	I/O	I/O	I/O	JP16
97	GND	GND	GND	GND	GND	GND	GND	GND
98	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
99	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
100	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O

---

Appendix A: Board Connections

Table A-1. Board Connections

<b>Pin No.</b>	<b>APA 075</b>	<b>APA 150</b>	<b>APA 300</b>	<b>APA 450</b>	<b>APA 600</b>	<b>APA 750</b>	<b>APA 1000</b>	<b>Board Connect</b>
101	TCK	TCK	TCK	TCK	TCK	TCK	TCK	TCK
102	TDI	TDI	TDI	TDI	TDI	TDI	TDI	TDI
103	TMS	TMS	TMS	TMS	TMS	TMS	TMS	TMS
104	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>
105	GND	GND	GND	GND	GND	GND	GND	GND
106	V <sub>PP</sub>	V <sub>PP</sub>	V <sub>PP</sub>	V <sub>PP</sub>	V <sub>PP</sub>	V <sub>PP</sub>	V <sub>PP</sub>	V <sub>PP</sub>
107	V <sub>PN</sub>	V <sub>PN</sub>	V <sub>PN</sub>	V <sub>PN</sub>	V <sub>PN</sub>	V <sub>PN</sub>	V <sub>PN</sub>	V <sub>PN</sub>
108	TDO	TDO	TDO	TDO	TDO	TDO	TDO	TDO
109	TRST	TRST	TRST	TRST	TRST	TRST	TRST	TRST
110	RCK	RCK	RCK	RCK	RCK	RCK	RCK	RCK
111	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
112	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
113	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
114	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
115	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
116	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
117	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
118	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
119	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
120	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
121	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O

Table A-1. Board Connections

<b>Pin No.</b>	<b>APA 075</b>	<b>APA 150</b>	<b>APA 300</b>	<b>APA 450</b>	<b>APA 600</b>	<b>APA 750</b>	<b>APA 1000</b>	<b>Board Connect</b>
122	GND	GND	GND	GND	GND	GND	GND	GND
123	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>
124	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
125	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
126	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>
127	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
128	GL	GL	GL	GL	GL	GL	GL	JP17
129	PPECL (I/P)	PPECL (I/P)	PPECL (I/P)	PPECL (I/P)	PPECL (I/P)	PPECL (I/P)	PPECL (I/P)	PPECL (I/P)
130	GND	GND	GND	GND	GND	GND	GND	GND
131	AVDD	AVDD	AVDD	AVDD	AVDD	AVDD	AVDD	JP3
132	NPECL	NPECL	NPECL	NPECL	NPECL	NPECL	NPECL	NPECL
133	AGND	AGND	AGND	AGND	AGND	AGND	AGND	JP2
134	GL	GL	GL	GL	GL	GL	GL	GL
135	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
136	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
137	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
138	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>
139	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
140	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
141	GND	GND	GND	GND	GND	GND	GND	GND

---

Appendix A: Board Connections

Table A-1. Board Connections

<b>Pin No.</b>	<b>APA 075</b>	<b>APA 150</b>	<b>APA 300</b>	<b>APA 450</b>	<b>APA 600</b>	<b>APA 750</b>	<b>APA 1000</b>	<b>Board Connect</b>
142	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>
143	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
144	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
145	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
146	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
147	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
148	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
149	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
150	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
151	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
152	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
153	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
154	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
155	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
156	GND	GND	GND	GND	GND	GND	GND	GND
157	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>
158	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
159	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
160	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
161	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
162	GND	GND	GND	GND	GND	GND	GND	GND



Table A-1. Board Connections

<b>Pin No.</b>	<b>APA 075</b>	<b>APA 150</b>	<b>APA 300</b>	<b>APA 450</b>	<b>APA 600</b>	<b>APA 750</b>	<b>APA 1000</b>	<b>Board Connect</b>
163	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
164	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
165	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
166	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
167	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
168	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
169	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
170	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>
171	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>
172	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
173	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
174	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
175	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
176	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
177	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
178	GND	GND	GND	GND	GND	GND	GND	GND
179	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
180	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
181	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
182	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
183	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O

---

Appendix A: Board Connections

Table A-1. Board Connections

<b>Pin No.</b>	<b>APA 075</b>	<b>APA 150</b>	<b>APA 300</b>	<b>APA 450</b>	<b>APA 600</b>	<b>APA 750</b>	<b>APA 1000</b>	<b>Board Connect</b>
184	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
185	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
186	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>
187	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>	V <sub>DD</sub>
188	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
189	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
190	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
191	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
192	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
193	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
194	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
195	GND	GND	GND	GND	GND	GND	GND	GND
196	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
197	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
198	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
199	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
200	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
201	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
202	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
203	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
204	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O

---

*Table A-1. Board Connections*

<b>Pin No.</b>	<b>APA 075</b>	<b>APA 150</b>	<b>APA 300</b>	<b>APA 450</b>	<b>APA 600</b>	<b>APA 750</b>	<b>APA 1000</b>	<b>Board Connect</b>
205	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
206	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
207	I/O	I/O	I/O	I/O	I/O	I/O	I/O	I/O
208	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>	V <sub>DDP</sub>



---

## *Board Schematics*

This appendix shows illustrations of the ProASIC Evaluation Board.  
Figure B-1 shows a board schematic.




Figure B-1. Board Schematic






Figure B-3. Board Schematic







---

## *Product Support*

Actel backs its products with various support services including Customer Service, a Customer Technical Support Center, a web site, an FTP site, electronic mail, and worldwide sales offices. This appendix contains information about contacting Actel and using these support services.

### *Actel U.S. Toll-Free Line*

Use the Actel toll-free line to contact Actel for sales information, technical support, requests for literature, Customer Service, investor information, and using the Action Facts service.

The Actel toll-free line is (888) 99-ACTEL.

### *Customer Service*

Contact Customer Service for non-technical product support, such as product pricing, product upgrades, update information, order status, and authorization.

From Northeast and North Central U.S.A., call (408) 522-4480

From Southeast and Southwest U.S.A., call (408) 522-4480

From South Central U.S.A., call (408) 522-4434

From Northwest U.S.A., call (408) 522-4434

From Canada, call (408) 522-4480

From Europe, call (408) 522-4252 or +44 (0) 1276 401500

From Japan, call (408) 522-4743

From the rest of the world, call (408) 522-4743

Fax, from anywhere in the world (408) 522-8044

### *Actel Customer Technical Support Center*

Actel staffs its Customer Technical Support Center with highly skilled engineers who can help answer your hardware, software, and design questions. The Customer Technical Support Center spends a great deal of time creating application notes and answers to FAQs. So, before you contact us, please visit our online resources. It is very likely we have already answered your questions.

## Guru Automated Technical Support

Guru is a web-based automated technical support system accessible through the Actel home page (<http://www.actel.com/guru/>). Guru provides answers to technical questions about Actel products. Many answers include diagrams, illustrations, and links to other resources on the Actel web site.

## Website

Actel has a World Wide Web home page where you can browse a variety of technical and non-technical information. The URL is <http://www.actel.com>.

## Contacting the Customer Technical Support Center

Highly skilled engineers staff the Technical Support Center from 7:00 A.M. to 6:00 P.M., Pacific Time, Monday through Friday. Several ways of contacting the Center follow:

### **Electronic Mail**

You can communicate your technical questions to our e-mail address and receive answers back by e-mail, fax, or phone. Also, if you have design problems, you can e-mail your design files to receive assistance. We constantly monitor the e-mail account throughout the day. When sending your request to us, please be sure to include your full name, company name, and your contact information for efficient processing of your request.

The technical support e-mail address is **tech@actel.com**.

## ***Telephone***

Our Technical Support Center answers all calls. The center retrieves information, such as your name, company name, phone number and your question, and then issues a case number. The Center then forwards the information to a queue where the first available application engineer receives the data and returns your call. The phone hours are from 7:00 A.M. to 6:00 P.M., Pacific Time, Monday through Friday. The Technical Support numbers are:

***(408) 522-4460***

***(800) 262-1060***

Customers needing assistance outside the US time zones can either contact technical support via email ([tech@actel.com](mailto:tech@actel.com)) or contact a local sales office. Please see our list of [Worldwide Sales Offices](#).

## Worldwide Sales Offices

### Headquarters

Actel Corporation  
955 East Arques Avenue  
Sunnyvale, California 94086  
Toll Free: 888.99.ACTEL  
Tel: 408.739.1010  
Fax: 408.739.1540

### US Sales Offices

#### California

Bay Area  
Tel: 408.328.2200  
Fax: 408.328.2358

Irvine  
Tel: 949.727.0470  
Fax: 949.727.0476

Newbury Park  
Tel: 805.375.5769  
Fax: 805.375.5749

#### Colorado

Tel: 303.420.4335  
Fax: 303.420.4336

#### Florida

Tel: 407.977.6846  
Fax: 407.977.6847

#### Georgia

Tel: 770.277.4980  
Fax: 770.277.5896

#### Illinois

Tel: 847.259.1501  
Fax: 847.259.1575

#### Massachusetts

Tel: 978.244.3800  
Fax: 978.244.3820

#### Minnesota

Tel: 651.917.9116  
Fax: 651.917.9114

#### New Jersey

Tel: 609.517.0304

#### North Carolina

Tel: 919.654.4529  
Fax: 919.674.0055

#### Pennsylvania

Tel: 215.830.1458  
Fax: 215.706.0680

#### Texas

Tel: 972.235.8944  
Fax: 972.235.9659

### International Sales Offices

#### Canada

235 Stafford Rd. West, Suite 106  
Nepean, Ontario K2H9C1, Canada  
Tel: 613.726.7575  
Fax: 613.726.8666

#### France

361 Avenue General de Gaulle  
92147 Clamart Cedex  
Tel: +33 (0)1.40.83.11.00  
Fax: +33 (0)1.40.94.11.04

#### Germany

Lohweg 27,  
D-85375 Neufahrn  
Germany  
Tel: +49.(0)81.659.584.0  
Fax: +49.(0)81.659.584.10

#### Italy

Via dei Garbaldini 5  
20019 Settimo Milanese  
Milano, Italy  
Tel: +39 (0)2.3809.3259  
Fax: +39 (0)2.3809.3260

#### Japan

EXOS Ebisu Building 4F  
1-24-14 Ebisu Shibuya-ku  
Tokyo 150  
Tel: +81 (0)3.3445.7671  
Fax: +81 (0)3.3445.7668

#### Korea

30th floor, ASEM Tower,  
159-1 Samsung-dong,  
Kangnam-ku, Seoul, Korea  
Tel: +82 (0)2.6001.3382  
Fax: +82 (0)2.6001.3030

#### United Kingdom

Maxfli Court  
Riverside Way  
Camberley, Surrey  
GU15 3YL  
United Kingdom  
Tel: +44 (0)1276.401450  
Fax: +44 (0)1276.401490