



Freezer

Diagnostic Freeze Spray

1672

Introduction

An HFC-134a based, rapidly evaporating liquid that can chill to -62°F (-52°C). Because HFCs do not harm the ozone, this product has a zero ozone depletion factor. Used as a troubleshooting aid for intermittently faulting capacitors, resistors, semi-conductors, and other defective components. It also detects cold solder joints, cracks in printed circuit boards, and oxidized junctions.

Features / Benefits

- Non-Flammable
- Non-Ozone Depleting
- Chills to -62°F (-52°C)
- Zero Residue

Chemical Components

1,1,1,2-Tetrafluoroethane.....	(811-97-2)	100%
--------------------------------	------------	------

Environmental Policy

Techspray® is committed to developing products to ensure a safer and cleaner environment. We will continue to meet and sustain the regulations of all federal, state and local government agencies.

Packaging and Availability

Freezer is available in the following sizes:

1672-10S	10 Ounce Aerosol
1672-15S	15 Ounce Aerosol

Resources

Techspray® products are supported by global sales, technical and customer services resources.

For additional technical information on this product or other Techspray® products in the United States, call the technical sales department at 800-858-4043, email tsales@techspray.com or visit our web site at: www.techspray.com.

North America
Tech Spray L.P.
P.O. Box 949
Amarillo, TX 79105
800-858-4043
email: tsales@techspray.com

Europe
Techspray International
UNIT 4, 44/46 Bunyan Road, Kempston
Bedford MK42 8HL United Kingdom
+44 (0) 1234 855443
email: tseurope@techspray.com

Countries Outside US
Call to locate a distributor
in your country.

Important Notice to Purchaser/User: The information in this publication is based on tests that we believe are reliable. The results may vary due to differences in tests type and conditions. We recommend that each user evaluate the product to determine its suitability for the intended application. Conditions of use are outside our control and vary widely. Techspray's only obligation and your only solution is replacement of product that is shown to be defective when you receive it. In no case will Techspray® be liable for any special, incidental, or consequential damages based on breach of warranty, negligence or any other theory.



Tech Spray, L.P.
P.O. Box 949
Amarillo, TX 79105
www.techspray.com

